

CERTIFICATE OF COMPLIANCE

Certificate Number 20160311-E210608
Report Reference E210608-20120614
Issue Date 2016-MARCH-11

Issued to: TURCK INC
3000 CAMPUS DR
MINNEAPOLIS MN 55441

**This is to certify that
representative samples of** PROXIMITY SWITCHES
See Addendum Page


Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 508, Industrial Control Equipment
CSA C22.2 No. 14, Industrial Control Equipment

Additional Information: See the UL Online Certifications Directory at
www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's
Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please
contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE


Certificate Number 20160311-E210608
Report Reference E210608-20120614
Issue Date 2016-MARCH-11

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Proximity Switches - Inductive Linear Position Sensors/Switches Cat. No. LiXXXPX-QXXLMX, where X is a numerical character, may be followed by E, followed by multiple alpha-numeric characters, may be followed by /S or /CS and a 2 to 5 digit number.

Inductive Angular Position Sensors/Switches Cat. No. RiXXXPX- may be followed by E, followed by QRXXMX where X is a numerical character, may be followed by multiple alpha-numeric characters, may be followed by /S or /CS and a 2 to 5 digit number.

Inductive Angular Position Sensors/Switches Cat. No. RiXXXPX-DSU35, where X is a numerical character, may be followed by multiple alpha-numeric characters, may be followed by /S or /CS and a 2 to 5 digit number.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

