


SPECIFICATIONS						
CONTACT CARRIER MATERIAL	TPU					
MOLDED HEAD MATERIAL/COLOR	TPU/YELLOW					
CONTACT MATERIAL/PLATING	BRASS/GOLD					
COUPLING NUT MATERIAL/PLATING	BRASS/NICKEL					
RATED CURRENT [A]	7.0 A					
RATED VOLTAGE [V]	300 VAC/VDC					
OUTER JACKET MATERIAL/COLOR	PVC/YELLOW					
CONDUCTOR INSULATION MATERIAL	PVC					
NUMBER OF CONDUCTORS [AWG]	6x18 AWG					
TEMPERATURE RANGE	-40°C TO +105°C (-40°F TO +221°F)					
PROTECTION CLASS	MEETS IEC IP67					



CABLE LENGTH	+ 4% (OR 50mm) OF LENGTH - 0% (OR 0mm) OF LENGTH WHICHEVER IS GREATER					
ALL LENGTHS						
STRIP LENGTH	TOLERANCE *					
0-7mm	±0.5mm ±1.0mm					
8-29mm						
30-49mm	±2.0mm					
50-69mm	±3.0mm ±4.0mm ±5.0mm					
70-100mm						
OVER 100mm						
* UNLESS OTHERWISE SPECIFIED						

NOTES:

REV DESCRIPTION

UPDATE CABLE OD

1. "*" INDICATES CABLE LENGTH IN METERS. CONTACT TURCK TO ORDER SPECIFIC LENGTHS.

ORDER			RELATED DOCUMENTS 1. 2. 3. 4.	3RD ANGLE PROJECTION	CONFIDENT PROPERT INC. US DOCUME WRITTEN F	DRAWING IS TIAL AND THE Y OF TURCK SE OF THIS NT WITHOUT PERMISSION IS OHIBITED.	TURC			3000 CAMPUS DRIVE MINNEAPOLIS, MN 55441 1-800-544-7769 (763) 553-7300 (763) 553-0708 fax www.turck.us		
			MATERIAL		DRFT	RDS	DATE 01/07/04	DESCRIPTION	рси	C 08E *		
			SEE SPECIFICATIONS	ALL DIMENSIONS DISPLAYED ON THIS DRAWING ARE FOR REFERENCE ONLY	APVD		SCALE 1=1.3		BSM 6-085-*			
					UNIT OF MEASUREMENT			IDENTIFICATION NO				
			FINISH	1	MILLIMETER [INCH]			IDENTIFICATION NO.				REV
				CONTACT TURCK								
	04/26/16	54313	SEE SPECIFICATIONS	FOR MORE INFORMATION								1
	DATE	ECO NO.			DO NOT SCALE THIS DRAWING			FILE: 777002807 SI			SHEET	1 OF 1
				•								

SOURCE DRAWING - FOR REFERENCE ONLY