

MALE END VIEW

1 = BLUE  
2 = GREEN/YELLOW  
3 = WHITE  
4 = BLACK  
A = ORANGE  
B = RED  
C = WHITE/BLACK  
D = RED/BLACK

SPECIFICATIONS

CONTACT CARRIER MATERIAL/COLOR	NYLON/BLUE
CONTACT MATERIAL/PLATING	BRASS/GOLD
HOUSING MATERIAL/PLATING	ZINC/CHROME
MANUFACTURER RATED CURRENT [A]	22 (PINS 1-4), 7 (PINS A-D)
UL RATED CURRENT [A]	14 (PINS 1-4), 5 (PINS A-D)
RATED VOLTAGE [V]	600 V (1-4), 300 V (A-D)
SEALING O-RING MATERIAL	BUNA-N
CONDUCTOR INSULATION MATERIAL	PVC
NUMBER OF CONDUCTORS [AWG]	4x12 AWG (1-4), 4x18 AWG (A-D)
TEMPERATURE RANGE	-40°C to +105°C (-40°F to +221°F)
PROTECTION CLASS	IEC IP67

CABLE LENGTH	TOLERANCE*
ALL LENGTHS	+ 4% (OR 50mm) OF LENGTH - 0% (OR 0mm) OF LENGTH WHICHEVER IS GREATER
STRIP LENGTH	TOLERANCE*
0-7mm	±0.5mm
8-29mm	±1.0mm
30-49mm	±2.0mm
50-69mm	±3.0mm
70-100mm	±4.0mm
OVER 100mm	±5.0mm

\*UNLESS OTHERWISE SPECIFIED

NOTES:

1. "\*" INDICATES LEAD LENGTH IN METERS. CONTACT TURCK TO ORDER SPECIFIC LENGTHS.

RELATED DOCUMENTS

1.  
2.  
3.  
4.

3RD ANGLE PROJECTION

THIS DRAWING IS CONFIDENTIAL AND THE PROPERTY OF TURCK INC. USE OF THIS DOCUMENT WITHOUT WRITTEN PERMISSION IS PROHIBITED.

DRFT RDS

DATE 04/30/08

APVD

SCALE 1=1.3

UNIT OF MEASUREMENT

MILLIMETER [ INCH ]

DO NOT SCALE THIS DRAWING

MATERIAL

SEE SPECIFICATIONS

FINISH

SEE SPECIFICATIONS

ALL DIMENSIONS DISPLAYED ON THIS DRAWING ARE FOR REFERENCE ONLY

CONTACT TURCK FOR MORE INFORMATION

3000 CAMPUS DRIVE  
MINNEAPOLIS, MN 55441  
1-800-544-7769  
(763) 553-7300  
(763) 553-0708 fax  
www.turck.us

DESCRIPTION

CSFF 822-8-\*

IDENTIFICATION NO.

777021612

REV

G

SHEET 1 OF 1

G	UPDATE RATED CURRENTS	NF	11/21/19	75424
REV	DESCRIPTION	BY	DATE	ECO NO.