










MALE END VIEW		FEMALE END VIEW		WIRING SCHEMATIC		SPECIFICATIONS																					
<div><div>1 = - VOLTAGE 2 = + VOLTAGE 3 = SHIELD 4 = GROUND</div><div><div>FOUNDATION™ fieldbus</div></div></div>		<div><div>1 = - VOLTAGE 2 = + VOLTAGE 3 = SHIELD 4 = GROUND</div><div><div>FOUNDATION™ fieldbus</div></div></div>		<div><div>MALE</div><div>FEMALE</div><div>4 3 2 1</div><div>FEMALE</div></div>		<table><tr><td>CONTACT CARRIER MATERIAL</td><td>TPU</td></tr><tr><td>MOLDED HEAD MATERIAL/COLOR</td><td>TPU/YELLOW</td></tr><tr><td>CONTACT MATERIAL/PLATING</td><td>BRASS/GOLD</td></tr><tr><td>COUPLING NUT MATERIAL/PLATING</td><td>BRASS/NICKEL</td></tr><tr><td>RATED CURRENT [A]</td><td>4.0</td></tr><tr><td>RATED VOLTAGE [VDC]</td><td>30</td></tr><tr><td>TEMPERATURE RATING</td><td>-40°C TO +55°C (-40°F TO 131°F)</td></tr><tr><td>PROTECTION CLASS</td><td>MEETS NEMA 1,3,4,6P AND IEC IP67</td></tr><tr><td></td><td></td></tr><tr><td></td><td></td></tr></table>		CONTACT CARRIER MATERIAL	TPU	MOLDED HEAD MATERIAL/COLOR	TPU/YELLOW	CONTACT MATERIAL/PLATING	BRASS/GOLD	COUPLING NUT MATERIAL/PLATING	BRASS/NICKEL	RATED CURRENT [A]	4.0	RATED VOLTAGE [VDC]	30	TEMPERATURE RATING	-40°C TO +55°C (-40°F TO 131°F)	PROTECTION CLASS	MEETS NEMA 1,3,4,6P AND IEC IP67				
CONTACT CARRIER MATERIAL	TPU																										
MOLDED HEAD MATERIAL/COLOR	TPU/YELLOW																										
CONTACT MATERIAL/PLATING	BRASS/GOLD																										
COUPLING NUT MATERIAL/PLATING	BRASS/NICKEL																										
RATED CURRENT [A]	4.0																										
RATED VOLTAGE [VDC]	30																										
TEMPERATURE RATING	-40°C TO +55°C (-40°F TO 131°F)																										
PROTECTION CLASS	MEETS NEMA 1,3,4,6P AND IEC IP67																										



SOURCE DRAWING - FOR REFERENCE ONLY

					RELATED DOCUMENTS		3RD ANGLE PROJECTION		THIS DRAWING IS CONFIDENTIAL AND THE PROPERTY OF TURCK INC. USE OF THIS DOCUMENT WITHOUT WRITTEN PERMISSION IS PROHIBITED.		3000 CAMPUS DRIVE MINNEAPOLIS, MN 55441 1-800-544-7769 (763) 553-7300 (763) 553-0708 fax www.turck.us			
					1. RSM-2RKM 40 (U0140)									
					2. RSV-2RKV 49 (U2385-7)									
					3. 9-RDV-099									
					4.									
					MATERIAL				DRFT GC		DATE 9/8/98		DESCRIPTION RSM-2RKM 49	
									APVD GC		SCALE 1 = 1.5			
					FINISH		ALL DIMENSIONS DISPLAYED ON THIS DRAWING ARE FOR REFERENCE ONLY		UNIT OF MEASUREMENT MILLIMETER [INCH]		IDENTIFICATION NO. U0140-0		REV B	
													CONTACT TURCK FOR MORE INFORMATION	
B	DRAWING PROCESSED AS PART OF ECO 33971			CBM	04/07/11	33971								
REV	DESCRIPTION			BY	DATE	ECO NO.								