





MALE END VIEW

PANEL CUTOUT/OPTIONS



M16 connector

END VIEW
LOCKNUT NOT SHOWN

SPECIFICATIONS

CONTACT CARRIER MATERIAL	NYLON
CONTACT MATERIAL/PLATING	BRASS/GOLD
HOUSING MATERIAL/PLATING	DIECAST ZINC/NICKEL PLATED
RATED CURRENT [A]	3.0 A
RATED VOLTAGE [V]	30 VAC/VDC
MAX. WIRE SIZE [AWG]	24 AWG
TEMPERATURE RANGE	-30°C to +80°C (-22°F to +176°F)
PROTECTION CLASS	MEETS IEC IP67

SOURCE DRAWING - FOR REFERENCE ONLY

RELATED DOCUMENTS 1. 2. 3. 4.	3RD ANGLE PROJECTION	ALL DIMENSIONS DISPLAYED ON THIS DRAWING ARE FOR REFERENCE ONLY	3000 CAMPUS DRIVE MINNEAPOLIS, MN 55441 1-800-544-7769 (763) 553-7300 (763) 553-0708 fax www.turck.us	
			DRFT	RDS
	APVD		DATE 02/06/19	DESCRIPTION
			SCALE 1=.7	BSF 19
		UNIT OF MEASUREMENT		
		MILLIMETER [INCH]	IDENTIFICATION NO.	REV
			U0882-23	A
		DO NOT SCALE THIS DRAWING	FILE: U0882-23	SHEET 1 OF 1

A DRAWING RELEASE

RDS 02/06/19

REV DESCRIPTION

BY DATE ECO NO.