



FEMALE END VIEW






BOARD LAYOUT DIAGRAM (TOP)



SPECIFICATIONS


CONTACT CARRIER MATERIAL	TPU
CONTACT MATERIAL/PLATING	BRASS/GOLD
HOUSING MATERIAL/PLATING	BRASS/NICKEL
NUMBER OF CONTACTS	6 x 0.025 IN SQ. POSTS
RATED CURRENT [A]	1.0 A
RATED VOLTAGE [V]	24 VDC
TEMPERATURE RANGE	-30°C to +80°C (-22°F to +176°F)
PROTECTION CLASS	MEETS NEMA 1,3,4,6P AND IEC IP67



NOTES:

1. "/CS10712" DESIGNATES RECEPTACLE WITHOUT O-RING AND LOCKNUT.

SOURCE DRAWING - FOR REFERENCE ONLY

RELATED DOCUMENTS		3RD ANGLE PROJECTION		<div>THIS DRAWING IS CONFIDENTIAL AND THE PROPERTY OF TURCK INC. USE OF THIS DOCUMENT WITHOUT WRITTEN PERMISSION IS PROHIBITED.</div> <div><div>TURCK INC</div><div>High Technology Sensors and Automation Controls</div></div> <div>3000 CAMPUS DRIVE MINNEAPOLIS, MN 55441 1-800-544-7769 (763) 553-7300 (763) 553-0708 fax turck.com</div>				
1.								
2.								
3.								
4.								
MATERIAL		DRFT JBJ		DATE 09/02/03		DESCRIPTION WMFK 6F-PCB/CS10712		
SEE SPECIFICATIONS		APVD GC		SCALE 4=1				
FINISH								
SEE SPECIFICATIONS				UNIT OF MEASUREMENT MILLIMETER [INCH]		IDENTIFICATION NO. U0939-18		REV D
				DO NOT SCALE THIS DRAWING		FILE: U0939-18		SHEET 1 OF 1

D	UPDATE TO TPU CONTACT CARRIER	RDS	06/01/15	49046
REV	DESCRIPTION	BY	DATE	ECO NO.