





MALE END VIEW






FEMALE END VIEW









PANEL CUT-OUT



SPECIFICATIONS

CONTACT CARRIER MATERIAL	NYLON OR TPU
CONTACT MATERIAL/PLATING	BRASS/GOLD
HOUSING MATERIAL/FINISH	316 STAINLESS STEEL/PASSIVATED
GASKET MATERIAL	NITRILE (BUNA N)
ISOLATOR MATERIAL	NYLON
RATED CURRENT [A]	1.5 A
RATED VOLTAGE [V]	36 VDC
TEMPERATURE RANGE	-30°C to +80°C (-22°F to +176°F)
PROTECTION CLASS	MEETS NEMA 1,3,4,6 AND IEC IP68



SOURCE DRAWING - FOR REFERENCE ONLY

RELATED DOCUMENTS

1.

2.

3.

4.


MATERIAL

SEE SPECIFICATIONS

FINISH

SEE SPECIFICATIONS

3RD ANGLE PROJECTION



ALL DIMENSIONS DISPLAYED ON THIS DRAWING ARE FOR REFERENCE ONLY

CONTACT TURCK FOR MORE INFORMATION

THIS DRAWING IS CONFIDENTIAL AND THE PROPERTY OF TURCK INC. USE OF THIS DOCUMENT WITHOUT WRITTEN PERMISSION IS PROHIBITED.

DRFT

RWC

APVD

UNIT OF MEASUREMENT

MILLIMETER [ INCH ]

DO NOT SCALE THIS DRAWING

3000 CAMPUS DRIVE

MINNEAPOLIS, MN 55441

1-800-544-7769

(763) 553-7300

(763) 553-0708 fax

turck.com

**TURCK INC**

High Technology Sensors and Automation Controls

DATE

03/17/09

DESCRIPTION

FKV FSV 8/M12

IDENTIFICATION NO.

U2-03988

REV

C

C

UPDATE TEMPERATURE SPECIFICATON PER ECO

KMY

04/30/13

42062

REV

DESCRIPTION

BY

DATE

ECO NO.

FILE: U2-03988

SHEET 1 OF 1