







MALE END VIEW	TYPICAL PANEL CUTOUT	SPECIFICATIONS	
 <p>1 = (SHIELD) 2 = (+ VOLTAGE) 3 = (- VOLTAGE) 4 = (CAN_H) 5 = (CAN_L)</p>		CONTACT CARRIER MATERIAL	NYLON OR TPU
		CONTACT MATERIAL/PLATING	BRASS/GOLD
		HOUSING, LOCKNUT MATERIAL/FINISH	STAINLESS STEEL/PASSIVATED
		O-RING MATERIAL	VITON
		RATED CURRENT [A]	2.0 A
		RATED VOLTAGE [V]	60VAC/75VDC
		NUMBER OF CONDUCTORS [AWG]	SOLDER CUPS
		TEMPERATURE RANGE	-40°C to +105°C (-40°F to +221°F)
		PROTECTION CLASS	MEETS NEMA 1,3,4,6P AND IEC IP68
		MAX. PANEL THICKNESS	3.0 [0.12]



NOTES:

1. "/S3039" DESIGNATES RECEPTACLE WITH A VITON O-RING.

SOURCE DRAWING - FOR REFERENCE ONLY

<div>NOTES:</div> <div>1. "/S3039" DESIGNATES RECEPTACLE WITH A VITON O-RING.</div>					RELATED DOCUMENTS		3RD ANGLE PROJECTION		THIS DRAWING IS CONFIDENTIAL AND THE PROPERTY OF TURCK INC. USE OF THIS DOCUMENT WITHOUT WRITTEN PERMISSION IS PROHIBITED.		3000 CAMPUS DRIVE MINNEAPOLIS, MN 55441 1-800-544-7769 (763) 553-7300 (763) 553-0708 fax turck.com					
					1. 2. 3. 4.											
					MATERIAL		ALL DIMENSIONS DISPLAYED ON THIS DRAWING ARE FOR REFERENCE ONLY		DRFT		RDS		DATE 03/17/08		DESCRIPTION  FSFDLV 57/S3039	
					SEE SPECIFICATIONS				APVD		SCALE 1=.5					
					FINISH		CONTACT TURCK FOR MORE INFORMATION		UNIT OF MEASUREMENT  MILLIMETER [ INCH ]				IDENTIFICATION NO.  U2-13515		REV  C	
					SEE SPECIFICATIONS											
C	UPDATE DIMENSIONS IN END VIEW				RDS	02/10/15	48925									
REV	DESCRIPTION				BY	DATE	ECO NO.						FILE: U2-13515		SHEET 1 OF 1	

C	UPDATE DIMENSIONS IN END VIEW	RDS	02/10/15	48925
REV	DESCRIPTION	BY	DATE	ECO NO.