




MALE END VIEW

TERMINATING RESISTOR
(120 Ω , 1/2W)
BETWEEN PINS 3,5



SPECIFICATIONS

CONTACT CARRIER MATERIAL	NYLON OR TPU
MOLDED HEAD MATERIAL/COLOR	TPU/BLUE-GREY
CONTACT MATERIAL/PLATING	BRASS/GOLD
COUPLING NUT MATERIAL/PLATING	BRASS/NICKEL
RATED CURRENT [A]	3.0 A
RATED VOLTAGE [V]	30 V (7.6 V MAX. ON PINS w/RESISTOR)
TEMPERATURE RANGE	-40°C to +105°C (-40°F to +221°F)
PROTECTION CLASS	MEETS IEC IP67
TERMINATING RESISTOR	120 Ω , 1/2W, ($\pm 1\%$)



SOURCE DRAWING - FOR REFERENCE ONLY

RELATED DOCUMENTS		3RD ANGLE PROJECTION	THIS DRAWING IS CONFIDENTIAL AND THE PROPERTY OF TURCK INC. USE OF THIS DOCUMENT WITHOUT WRITTEN PERMISSION IS PROHIBITED.		TURCK		3000 CAMPUS DRIVE MINNEAPOLIS, MN 55441 1-800-544-7769 (763) 553-7300 (763) 553-0708 fax www.turck.us	
1.	2.	3.	4.	DRFT	KMY	DATE 04/10/12	DESCRIPTION	
APVD	A.A.	SCALE 1=.5					PSG 5M 57-TR	
			UNIT OF MEASUREMENT					
			MILLIMETER [INCH]					
			DO NOT SCALE THIS DRAWING				IDENTIFICATION NO.	REV
							U2-20056	D
							FILE: U2-20056	SHEET 1 OF 1

D UPDATE TERMINATING RESISTOR LOCATION TO PINS 3,5 RDS 01/09/14 44490

REV DESCRIPTION BY DATE ECO NO.