





SPECIFICATIONS			
CONTACT CARRIER MATERIAL	PVC		
MOLDED MATERIAL/COLOR	PVC/BLACK		
CONTACT MATERIAL/PLATING	BRASS or COPPER/GOLD		
COUPLING NUT MATERIAL/FINISH (P1,J1)	ALUMINUM/CLEAR-ANODIZED		
COUPLING NUT MATERIAL/PLATING (J2)	BRASS/NICKEL		
RATED CURRENT [A]	40.0 A COMBINED/21.0 A DROP		
RATED VOLTAGE [V]	600 V		
TEMPERATURE RATING	-40°C to +90°C (-40°F to +194°F)		
PROTECTION CLASS	MEETS NEMA 1,3,4,6P AND IEC IP67		
APPROVALS AND CERTIFICATIONS	UL 2237, UL 2238		










UPDATE RATED CURRENT

DESCRIPTION



RELATED DOCUMENTS

## SOURCE DRAWING - FOR REFERENCE ONLY

3000 CAMPUS DRIVE MINNEAPOLIS, MN 55441 1-800-544-7769

(763) 553-7300

(763) 553-0708 fax

$\wedge$	<b>CAUTION:</b>
<u> </u>	RISK OF ELECTRICAL SHOCK
DC	NOT DISCONNECT UNDER LOAD

D	SEE SPECIFICATIONS			
		FINISI	Н	
01/18/21	500000002372	SEE		SPECIFICATIONS
DATE	ECO NO.			

2.

3.

MATERIAL

SPECIFICATIONS	ALL DIMENSIONS DISPLAYED ON THIS DRAWING ARE FOR REFERENCE ONLY			
SPECIFICATIONS	CONTACT TURCK FOR MORE INFORMATION			

3RD ANGLE PROJECTION

DOCUMENT WITHOUT
WRITTEN PERMISSION IS
PROHIBITED. DATE 04/04/13 RDS SCALE M.B. 1 = 2.0UNIT OF MEASUREMENT

DO NOT SCALE THIS DRAWING

THIS DRAWING IS CONFIDENTIAL AND THE PROPERTY OF TURCK INC. USE OF THIS

MILLIMETER [ INCH ]

www.turck.us P-PWR-GSDA/GKDA/RKM 34

IDENTIFICATION NO. REV U2-21492 FILE: U2-21492 SHEET 1 OF 1