

MALE END VIEW

1 = N/C  
2 = BLUE  
3 = N/C  
4 = BROWN  
5 = BLACK

**PROFI**  
**BUS**

**europa**  
**fast.**

FEMALE END VIEW

1 = BROWN  
2 = N/C  
3 = BLUE  
4 = BLACK  
5 = N/C


**PROFI**  
**BUS**

**europa**  
**fast.**

**Festo**

PANEL CUT-OUT



SPECIFICATIONS	
CONTACT CARRIER MATERIAL	NYLON OR TPU
CONTACT MATERIAL/PLATING	BRASS/GOLD
HOUSING MATERIAL/PLATING	BRASS/NICKEL
RATED CURRENT [A]	4.0 A
RATED VOLTAGE [V]	150 V
TEMPERATURE RANGE	-40°C to +105°C (-40°F to +221°F)
PROTECTION CLASS	MEETS NEMA 1,3,4,6P AND IEC IP67
GASKET MATERIAL	NITRILE
ISOLATOR MATERIAL	NYLON



SOURCE DRAWING - FOR REFERENCE ONLY

NOTES:

1. CONNECTOR KEYWAY POSITIONS ARE REFERENCE ONLY. KEYWAYS MAY BE IN ANY POSITION.

NOTES:  1. CONNECTOR KEYWAY POSITIONS ARE REFERENCE ONLY. KEYWAYS MAY BE IN ANY POSITION.					RELATED DOCUMENTS		3RD ANGLE PROJECTION		THIS DRAWING IS CONFIDENTIAL AND THE PROPERTY OF TURCK INC. USE OF THIS DOCUMENT WITHOUT WRITTEN PERMISSION IS PROHIBITED.		3000 CAMPUS DRIVE MINNEAPOLIS, MN 55441 1-800-544-7769 (763) 553-7300 (763) 553-0708 fax www.turck.us				
					1. 2. 3. 4.										
					MATERIAL		ALL DIMENSIONS DISPLAYED ON THIS DRAWING ARE FOR REFERENCE ONLY								
					FINISH										
G		UPDATE J1 END VIEW		RDS		01/29/20		75612		DESCRIPTION FKM FSW 45/M12/S825					
REV		DESCRIPTION		BY		DATE		ECO NO.		DRFT      CBM		DATE 11/16/98			
										APVD		SCALE 1 = 1.0			
										UNIT OF MEASUREMENT MILLIMETER [ INCH ]		IDENTIFICATION NO. U2350-35		REV G	
										DO NOT SCALE THIS DRAWING		FILE: U2350-35		SHEET 1 OF 1	