









FEMALE END VIEW	TYPICAL PANEL CUTOUT	PCB BOARD LAYOUT	SPECIFICATIONS	
  			CONTACT CARRIER MATERIAL	NYLON OR TPU
			CONTACT MATERIAL/PLATING	BRASS/GOLD
			HOUSING/LOCKNUT MATERIAL	BRASS/NICKEL
			O-RING MATERIAL	NITRILE
			RATED CURRENT [A]	4.0 A
			RATED VOLTAGE [V]	250 V
			NUMBER OF CONDUCTORS [AWG]	PRINTED CIRCUIT PINS
			TEMPERATURE RATING	-40°C TO +80°C (-40°F TO +176°F)
			PROTECTION CLASS	MEETS NEMA 1,3,4,6P AND IEC IP68
			MAX. PANEL THICKNESS	3.0 [0.12]



SOURCE DRAWING - FOR REFERENCE ONLY

<div>RELATED DOCUMENTS</div> <div>1. 2. 3. 4.</div>					<div>3RD ANGLE PROJECTION</div> <div></div>		<div>THIS DRAWING IS CONFIDENTIAL AND THE PROPERTY OF TURCK INC. USE OF THIS DOCUMENT WITHOUT WRITTEN PERMISSION IS PROHIBITED.</div> <div></div> <div>3000 CAMPUS DRIVE MINNEAPOLIS, MN 55441 1-800-544-7769 (763) 553-7300 (763) 553-0708 fax www.turck.us</div>							
					<div>MATERIAL</div>		<div>ALL DIMENSIONS DISPLAYED ON THIS DRAWING ARE FOR REFERENCE ONLY</div>		<div>DRFT</div> <div>RDS</div>		<div>DATE</div> <div>04/18/06</div>		<div>DESCRIPTION</div> <div>FKFDD 44-PCB</div>	
									<div>APVD</div>		<div>SCALE</div> <div>1 = 1.0</div>			
<div>FINISH</div>		<div>CONTACT TURCK FOR MORE INFORMATION</div>		<div>UNIT OF MEASUREMENT</div> <div>MILLIMETER [INCH]</div> <div>DO NOT SCALE THIS DRAWING</div>				<div>IDENTIFICATION NO.</div> <div>U3-00815</div>		<div>REV</div> <div>H</div>				
								<div>FILE: U3-00815</div>		<div>SHEET 1 OF 1</div>				
H	UPDATE TEMPERATURE SPECS			RDS	06/14/18	65785								
REV	DESCRIPTION			BY	DATE	ECO NO.								