











BUS CONNECTOR		TERMINAL BLOCK BUS		SPECIFICATIONS	
 <p>1 = N/C 2 = GREEN (BUS_A) 3 = N/C 4 = RED (BUS_B) 5 = BARE (DRAIN)</p>  		 <p>1 = N/C 2 = GREEN (BUS_A) 3 = N/C 4 = RED (BUS_B) 5 = BARE (DRAIN)</p> 		HOUSING MATERIAL/COLOR	NYLON 66 - 33% GLASS FILLED/BLACK
				RECEPTACLE HOUSING MATERIAL/FINISH	STAINLESS STEEL/PASSIVATED
				CONTACT CARRIERS/COLOR	PA 12/BLACK (BUS)
				CONTACT MATERIAL/PLATING	BRASS/GOLD
				OPERATING VOLTAGE	250 V
				OPERATING CURRENT	4.0 A (BUS)
				PROTECTION CLASS to DIN 40050	IP 67 - ONLY WHEN ALL RECEPTACLES ARE COVERED WITH PLUGS OR CONNECTED
				OPERATING TEMPERATURE	-40°C to +80°C (-40°F to +176°F)



COVER SCREWS INCLUDED				SOURCE DRAWING - FOR REFERENCE ONLY			
 <p>FORM 8 CONDUIT BODIES: 10-24 SCREWS</p>  <p>MARK 9 CONDUIT BODIES: 8-32 SCREWS</p>				 <p>TERMINAL PLUGS INCLUDED</p>			
<p>RELATED DOCUMENTS</p> <ol style="list-style-type: none"> 1. 2. 3. 4. 				<p>3RD ANGLE PROJECTION</p> 			
<p>MATERIAL</p> <p>SEE SPECIFICATIONS</p>				<p>THIS DRAWING IS CONFIDENTIAL AND THE PROPERTY OF TURCK INC. USE OF THIS DOCUMENT WITHOUT WRITTEN PERMISSION IS PROHIBITED.</p>			
<p>FINISH</p> <p>SEE SPECIFICATIONS</p>				<p>DRFT RDS DATE 02/27/06</p> <p>APVD SCALE 1=1.5</p>			
<p>UNIT OF MEASUREMENT</p> <p>MILLIMETER [INCH]</p>				<p>DESCRIPTION</p> <p>BCA-45-E223</p>			
<p>CONTACT TURCK FOR MORE INFORMATION</p>				<p>IDENTIFICATION NO.</p> <p>U3-00860</p>			
<p>DO NOT SCALE THIS DRAWING</p>				<p>REV</p> <p>F</p>			
<p>FILE: U3-00860</p>				<p>SHEET 1 OF 1</p>			