





FEMALE END VIEW

TYPICAL PANEL CUTOUT



Ethernet

END VIEW
LOCKNUT NOT SHOWN

SPECIFICATIONS

CONTACT CARRIER MATERIAL/COLOR	TPU/BLACK
CONTACT MATERIAL/PLATING	BRASS/GOLD
LOCKNUT, HOUSING MATERIAL/FINISH	STAINLESS STEEL/PASSIVATED
RATED CURRENT [A]	4.0 A
RATED VOLTAGE [V]	250 V
CONDUCTORS [AWG]	SOLDER CUPS
TEMPERATURE RANGE	-40°C to +105°C (-40°F to +221°F)
PROTECTION CLASS	MEETS NEMA 1,3,4,6P AND IEC IP68
MAX. PANEL THICKNESS	3.0 [0.12]

SOURCE DRAWING - FOR REFERENCE ONLY

NOTES:

1. POTTING MATERIAL SHOULD NOT COVER THE SOLDER CUPS.

RELATED DOCUMENTS	3RD ANGLE PROJECTION	THIS DRAWING IS CONFIDENTIAL AND THE PROPERTY OF TURCK INC. USE OF THIS DOCUMENT WITHOUT WRITTEN PERMISSION IS PROHIBITED.		DESCRIPTION	3000 CAMPUS DRIVE MINNEAPOLIS, MN 55441 1-800-544-7769 (763) 553-7300 (763) 553-0708 fax www.turck.us
		DRFT	RDS		
MATERIAL	APVD	SCALE	04/05/07	UNIT OF MEASUREMENT	TURCK
FINISH			1=1.0	MILLIMETER [INCH]	FKFDDV 44
				IDENTIFICATION NO.	U3-10511
				REV	B
				FILE:	U3-10511
				SHEET	1 OF 1

B DRAWING PROCESSED AS PART OF ECO 33971 CBM 04/07/11 33971

REV DESCRIPTION BY DATE ECO NO.