






FEMALE END VIEW	BOARD LAYOUT	TYPICAL PANEL CUTOUT	SPECIFICATIONS			
			CONTACT CARRIER MATERIAL	NYLON OR TPU		
			CONTACT MATERIAL/PLATING	BRASS/GOLD		
			HOUSING, LOCKNUT MATERIAL/PLATING	BRASS/NICKEL		
			O-RING MATERIAL	NITRILE		
			RATED CURRENT [A]	4.0 A		
			RATED VOLTAGE [V]	250 V		
			NUMBER OF CONDUCTORS [AWG]	4 PRINTED CIRCUIT PINS		
			TEMPERATURE RATING	-30°C to +80°C (-22°F to +176°F)		
			PROTECTION CLASS		MEETS NEMA 1,3,4,6P AND IEC IP68	
			MAX. PANEL THICKNESS		3.0 [0.12]	



SOURCE DRAWING - FOR REFERENCE ONLY

					RELATED DOCUMENTS		3RD ANGLE PROJECTION		THIS DRAWING IS CONFIDENTIAL AND THE PROPERTY OF TURCK INC. USE OF THIS DOCUMENT WITHOUT WRITTEN PERMISSION IS PROHIBITED.		3000 CAMPUS DRIVE MINNEAPOLIS, MN 55441 1-800-544-7769 (763) 553-7300 (763) 553-0708 fax www.turck.us										
					1.																
					2.																
					3.																
4.																					
					MATERIAL		ALL DIMENSIONS DISPLAYED ON THIS DRAWING ARE FOR REFERENCE ONLY		DRFT		JB		DATE		12/17/96		DESCRIPTION		FKFD 4.4		
					SEE SPECIFICATIONS				APVD				SCALE		1=.7						
										FINISH		CONTACT TURCK FOR MORE INFORMATION		UNIT OF MEASUREMENT						IDENTIFICATION NO.	
SEE SPECIFICATIONS		MILLIMETER [INCH]								U4490				D							
D					NOTATE THE KEYWAY IS 45° FROM THE MOUNTING FLAT					RDS		04/25/22		77572							
REV					DESCRIPTION					BY		DATE		ECO NO.		DO NOT SCALE THIS DRAWING					
																FILE: U4490					
																SHEET 1 OF 1					

D	NOTATE THE KEYWAY IS 45° FROM THE MOUNTING FLAT	RDS	04/25/22	77572
REV	DESCRIPTION	BY	DATE	ECO. NO.