



MALE END VIEW	TYPICAL PANEL CUTOUT	SPECIFICATIONS
		CONTACT CARRIER MATERIAL/COLOR NYLON OR TPU/BLUE
		CONTACT MATERIAL/PLATING BRASS/GOLD
		HOUSING, LOCKNUT/PLATING BRASS/NICKEL
		RATED CURRENT [A] 2.0 A
		RATED VOLTAGE [V] 60VAC/75VDC
		NUMBER OF CONDUCTORS [AWG] SOLDER CUPS
		TEMPERATURE RANGE -40°C to +105°C (-40°F to +221°F)
		PROTECTION CLASS MEETS NEMA 1,3,4,6P AND IEC IP68
		MAX. PANEL THICKNESS 3.0 [0.12]



END VIEW
LOCKNUT NOT SHOWN



SOURCE DRAWING - FOR REFERENCE ONLY

RELATED DOCUMENTS		3RD ANGLE PROJECTION	THIS DRAWING IS CONFIDENTIAL AND THE PROPERTY OF TURCK INC. USE OF THIS DOCUMENT WITHOUT WRITTEN PERMISSION IS PROHIBITED.	 TURCK INC <i>High Technology Sensors and Automation Controls</i>			3000 CAMPUS DRIVE MINNEAPOLIS, MN 55441 1-800-544-7769 (763) 553-7300 (763) 553-0708 fax turck.com
MATERIAL		DRFT	DATE 06/04/01	DESCRIPTION		FSFDL 57	
SEE SPECIFICATIONS		DSGN	SCALE 1=.5				
FINISH		ALL DIMENSIONS DISPLAYED ON THIS DRAWING ARE FOR REFERENCE ONLY UNIT OF MEASUREMENT MILLIMETER [INCH] CONTACT TURCK FOR MORE INFORMATION DO NOT SCALE THIS DRAWING					
SEE SPECIFICATIONS		IDENTIFICATION NO. U7474				REV !	
FILE: U7474						SHEET 1 OF 1	