





SPECIFICATIONS		
HOUSING MATERIAL/COLOR	NYLON 66 - 33% GLASS FILLED/BLACK	
RECEPTACLE HOUSING MATERIAL/FINISH	STAINLESS STEEL/PASSIVATED	
CONTACT CARRIERS/COLOR	TPU/BLACK	
CONTACT MATERIAL/PLATING	BRASS/GOLD	
OPERATING VOLTAGE	300 V	
OPERATING CURRENT	9.0 A MINIFAST, 8 A TERMINAL BLOCK	
PROTECTION CLASS to DIN 40050	IP 67 - ONLY WHEN ALL RECEPTACLES ARE	
	COVERED WITH PLUGS OR CONNECTED	
OPERATING TEMPERATURE	-30° C to $+80^{\circ}$ C (-22° F to $+176^{\circ}$ F)	









RELATED DOCUMENTS	3RD ANGLE PROJECTION			
1.				
2.				
3.	1 497 4-1			
4.				
MATERIAL				
	ALL DIMENSIONS DISPLAYED ON THIS DRAWING ARE FOR REFERENCE ONLY			
FINISH				
	CONTACT TURCK FOR MORE INFORMATION			

THIS DRAWING IS CONFIDENTIAL AND THE PROPERTY OF TURCK INC. USE OF THIS DOCUMENT WITHOUT
WRITTEN PERMISSION IS
PROHIBITED.

turck inc High Technology Sensors and Automation Controls

3000 CAMPUS DRIVE MINNEAPOLIS, MN 55441 1-800-544-7769 (763) 553-7300 (763) 553-0708 fax turck.com

RDS APVD DF

DATE 01/30/02 SCALE 1=1.5

UNIT OF MEASUREMENT

MILLIMETER [INCH]

DO NOT SCALE THIS DRAWING

BCA-25-M223

IDENTIFICATION NO. REV U8633 FILE: U8633 SHEET 1 OF 1

П	ADDED THICKER GASKET	RDS	09/12/13	4299
REV	DESCRIPTION	BY	DATE	ECO NO